| | Hits | Search Text | DBs |
|---|------|---|--|
| 1 | 49 | ("5475757" "6016348" "6209097" "5008935" "5737424" "6073236" "6118872" "6125186" "6396926" "6411712" "4423287" "5878135" "5191611" "5418854" "5497421" "5710817" "5933500" "5977997" "6061449" "6061449" "6092191" "6185680" "6240514" "6240516" "4578530" "4757533" "4771458" "4780828" "4870681" "4876718" "4944006" "4975867" "5195136" "5337362" "5343530" "5408531" "5432851" "5594793" "5602920" "5663896" "5712800" "5742686" "5745571" "5761302" "5805802" "5841872" "5978918" "6028932" "6047069" "6151677").pn. | USPAT |
| 2 | 10 | sato-ryuji.in. | US-PGPUB; USPAT |
| 3 | 162 | 713/190.ccls. | US-PGPUB; USPAT |
| 4 | 15 | "4905277".URPN. | USPAT |
| 5 | 223 | (soπware or program\$1) nears ((dynamic\$4 near2 analy\$4) or revers\$) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 6 | 97 | (software or program\$1) near5 ((dynamic\$4 near2 analy\$4) or revers\$) with (prevent\$3 or illegal\$2) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 7 | 43 | ((software or program\$1) near5 ((dynamic\$4 near2 analy\$4) or revers\$) with (prevent\$3 or illegal\$2)) and ((software or program\$1 or code or module\$1) near4 (encrypt\$3 or encod\$3 or cipher\$ or decrypt\$3 or decod\$3 or decipher\$3)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |

| | Hits | Search Text | DBs |
|----|------|--|--|
| 8 | 24 | ((each near2 other) or reciprocal\$2) near3 (encrypt\$3 or decrypt\$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 9 | 5211 | (partial or half) near3 (encrypt\$3 or encod\$3 or cipher\$ or decrypt\$3 or decod\$3 or decipher\$3) | USPAT |
| 10 | 131 | (partial or half) near3 (encrypt\$3 or decrypt\$3) | USPAT |
| 11 | 244 | (tamper\$1resistant or "tamper resistant") near3 (software or program) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 12 | 33 | ((tamper\$1resistant or "tamper resistant") near3 (software or program)) and (((code or program) near2 module\$1) with (encrypt\$3 or decrypt\$3)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 13 | 176 | 380/33.ccls. | US-PGPUB; USPAT |
| 14 | 2 | 380/33.ccls. and (((plural\$ or multiple) near2 (path\$1 or channel\$)) with ((plural\$ or multiple) near2 program\$1)) | US-PGPUB; USPAT |
| 15 | 322 | 380/37.ccls. | US-PGPUB; USPAT |
| 16 | 9 | 380/37.ccls. and ((plural\$ or multiple) near3 ((encrypt\$3 or cryptograph\$) near2 algorithm)) | US-PGPUB; USPAT |
| 17 | 369 | (encrypt\$3 or encod\$3) near4 ((program or code) near2 module\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 18 | 30 | or code) near2 module\$1)) and ((first near3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |

| | Hits | Search Text | DBs |
|----|------|--|--|
| 19 | 8 | (first near3 (decrypt\$3 near program)) with | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 20 | 0 | (decrypt\$3 or decod\$3) with "each other" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 21 | 369 | (encrypt\$3 or encod\$3) near4 ((program or | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 22 | 4 | ((encrypt\$3 or encod\$3) near4 ((program or code) near2 module\$1)) and ((prevent\$3 or illegal\$) near3 (dynamic\$4 or reverse)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 23 | 53 | ((encrypt\$3 or encod\$3) near4 ((program or code) near2 module\$1)) and debug\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 24 | 2 | "5892899".pn. or "6205550".pn. | USPAT |
| 25 | 103 | (second near3 (decryption near (program or module or algorithm))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 26 | 17 | second near3 "decryption program" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 27 | 7 | ((common or shared) near area) with ((code or program) near module\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |

| | Hits | Search Text | DBs |
|----|------|--|--|
| 28 | 31 | ((common or shared) near (area or use\$3)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 29 | 88 | ((common or shared) near area) with module\$1 | USPAT |
| 30 | 3825 | 713/189-190,193-194,200.ccls. | US-PGPUB; USPAT |
| 31 | 79 | 713/189-190,193-194,200.ccls. and ((tamper\$1resistant or "tamper resistant") near3 (software or program)) | US-PGPUB; USPAT |
| 32 | 42 | (713/189-190,193-194,200.ccls. and ((tamper\$1resistant or "tamper resistant") near3 (software or program))) and ((code or program or software) near2 (module\$1 or sub\$1program)) | US-PGPUB; USPAT |
| 33 | 42 | ((713/189-190,193-194,200.ccls. and ((tamper\$1resistant or "tamper resistant") near3 (software or program))) and ((code or program or software) near2 (module\$1 or sub\$1program))) and (encrypt\$3 or encod\$3) | US-PGPUB; USPAT |
| 34 | 39 | ((software or program\$1) near5 ((dynamic\$4 near2 analy\$4) or revers\$) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 35 | 111 | 713/189-190,193-194,200.ccls. and ((tamper\$1resistant or "tamper resistant") near3 (software or program or module)) | US-PGPUB; USPAT |
| 36 | 4 | (713/189-190,193-194,200.ccls. and ((tamper\$1resistant or "tamper resistant") near3 (software or program or module))) and (elapsed near3 time with execut\$3) | US-PGPUB; USPAT |

| | Hits | Search Text | DBs |
|----|------|--|--|
| 37 | 0 | (713/189-190,193-194,200.ccls. and ((tamper\$1resistant or "tamper resistant") near3 (software or program or module))) and (wait\$3 near3 time with execut\$3) | US-PGPUB; USPAT |
| 38 | 4 | (713/189-190,193-194,200.ccls. and ((tamper\$1resistant or "tamper resistant") near3 (software or program or module))) and (((wait\$3 near3 time) or synchroniz\$5) same execut\$3) | US-PGPUB; USPAT |
| 39 | 1 | ("6779114").PN. | USPAT; USOCR |
| 40 | 2 | cloakware.as. | US-PGPUB; USPAT |
| 41 | 1272 | synchroniz\$ with (crypto\$ or encrypt\$ or decrypt\$3) | US-PGPUB; USPAT |
| 42 | 651 | synchroniz\$ near3 (crypto\$ or encrypt\$ or decrypt\$3) | US-PGPUB; USPAT |
| 43 | 3 | synchroniz\$ near3 (crypto\$ or encrypt\$ or decrypt\$3) with wait | US-PGPUB; USPAT |
| 44 | 16 | synchroniz\$ near3 (crypto\$ or encrypt\$ or decrypt\$3) with execut\$ | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 45 | 10 | sato-ryuji.in. | US-PGPUB; USPAT |
| 46 | 164 | 713/190.ccls. and (@ad<"20010501" or @rlad<"20010501") | US-PGPUB; USPAT |
| 47 | 16 | "4905277".URPN. | USPAT |
| 48 | 46 | ((software or program\$1) near5 ((dynamic\$4 near2 analy\$4) or revers\$) with (prevent\$3 or illegal\$2)) and ((software or program\$1 or code or module\$1) near4 (encrypt\$3 or encod\$3 or cipher\$ or decrypt\$3 or decod\$3 or decipher\$3)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |

| | Hits | Search Text | DBs |
|----|------|--|--|
| 49 | 31 | ((each near2 other) or reciprocal\$2) near3 (encrypt\$3 or decrypt\$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 50 | 141 | (partial or half) near3 (encrypt\$3 or decrypt\$3) | USPAT |
| 51 | 34 | ((tamper\$1resistant or "tamper resistant") near3 (software or program)) and (((code or program) near2 module\$1) with (encrypt\$3 or decrypt\$3)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 52 | 2 | 380/33.ccls. and (((plural\$ or multiple) near2 (path\$1 or channel\$)) with ((plural\$ or multiple) near2 program\$1)) | US-PGPUB; USPAT |
| 53 | 13 | 380/37.ccls. and ((plural\$ or multiple) near3 ((encrypt\$3 or cryptograph\$) near2 algorithm)) | US-PGPUB; USPAT |
| 54 | 31 | ((encrypt\$3 or encod\$3) near4 ((program or code) near2 module\$1)) and ((first near3 program) with (second near3 program)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 55 | 9 | (first near3 (decrypt\$3 near program)) with (second near3 (decrypt\$3 near program)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 56 | 0 | (decrypt\$3 or decod\$3) with "each other" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 57 | 5 | ((encrypts3 or encods3) near4 ((program or code) near2 module\$1)) and ((prevent\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |

| | Hits | Search Text | DBs |
|----|------|--|--|
| 58 | 57 | ((encrypt\$3 or encod\$3) near4 ((program or code) near2 module\$1)) and debug\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 59 | 25 | second near3 "decryption program" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 60 | 7 | ((common or shared) near area) with ((code or program) near module\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 61 | 32 | ((common or shared) near (area or use\$3)) with ((code or program) near module\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 62 | 45 | ((713/189-190,193-194,200.ccls. and ((tamper\$1resistant or "tamper resistant") near3 (software or program))) and ((code or program or software) near2 (module\$1 or sub\$1program))) and (encrypt\$3 or encod\$3) | US-PGPUB; USPAT |
| 63 | 42 | 713/189-190,193-194,200.ccls. and ((software or program\$1) near5 ((dynamic\$4 near2 analy\$4) or revers\$) same (prevent\$3 or illegal\$2)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 64 | 4 | (713/189-190,193-194,200.ccls. and ((tamper\$1resistant or "tamper resistant") near3 (software or program or module))) and ((elapsed or expire\$1) near3 time with execut\$3) | US-PGPUB; USPAT |
| 65 | 3 | cloakware.as. | US-PGPUB; USPAT |
| 66 | 4 | synchroniz\$ near3 (crypto\$ or encrypt\$ or decrypt\$3) with wait | US-PGPUB; USPAT |

| | Hits | Search Text | DBs |
|----|------|---|--|
| 67 | 16 | synchroniz\$ near3 (crypto\$ or encrypt\$ or decrypt\$3) with execut\$ | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 68 | 912 | 717/124,127,131,154.ccls. and (@ad<"20010501" or @rlad<"20010501") | US-PGPUB; USPAT |
| 69 | 2 | S209 and (tamper\$1resistant or "tamper resistant") | US-PGPUB; USPAT |
| 70 | 4 | S209 and (((dynamic\$4 near2 analy\$4) or revers\$) with (prevent\$3 or illegal\$2)) | US-PGPUB; USPAT |
| 71 | 17 | S209 and ((software or program or module) same (elapsed near3 time with execut\$3)) | US-PGPUB; USPAT |
| 72 | 6 | S209 and ((encrypt\$3 or decrypt\$3) same module\$1) | US-PGPUB; USPAT |
| 73 | 21 | ((analy\$4 or revers\$) with (prevent\$3 or illegal\$2)) same obfuscat\$3 | US-PGPUB; USPAT |
| 74 | 41 | (tamper\$1resistant or "tamper resistant") same obfuscat\$3 | US-PGPUB; USPAT |
| 75 | 13 | S216 and (synchroniz\$5 or wait or elapsed) | US-PGPUB; USPAT |
| 76 | 2825 | <u> </u> | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 77 | 11 | S218 and (obfuscat\$3 with (software or programs or code)) and (synchroniz\$5 or wait or elapsed) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |